



Model	Part Number	Description	Qty
LOW VOLUME IRRIGATION			
START-UP COMPONENTS			
CONTROL ZONE START-UP KIT			
XCZ-075 PRF	X10306	LFV ¾" + ¾" Pressure Regulating RBY Filter (Outlet pressure: 2,0 bar - screen: 75µ)	1
XCZ-100-PRF	X10308	1" DV + 1" Pressure Regulating RBY Filter (Outlet pressure: 2,8 bar - screen: 75µ)	1
LOW FLOW VALVE: Made especially for drip irrigation systems			
LFV075	X12100	¾" female threaded Low Flow Valve, 24 VAC	12
LFV075-9V	X12105	¾" female threaded Low Flow Valve, 9V Solenoid	12
PRESSURE REGULATORS			
PSI-M15	A8860015	Outlet pressure: 1,00 bar, (0,45 - 5 m ³ /h)	20
PSI-M20	A8860020	Outlet pressure: 1,40 bar, (0,45 - 5 m ³ /h)	20
PSI-M25	A8860025	Outlet pressure: 1,75 bar, (0,45 - 5 m ³ /h)	20
PSI-M30	A8860030	Outlet pressure: 2,10 bar, (0,45 - 5 m ³ /h)	20
PSI-M40	A8860040	Outlet pressure: 2,80 bar, (0,45 - 5 m ³ /h)	20
PSI-M50	A8860050	Outlet pressure: 3,50 bar, (0,45 - 5 m ³ /h)	20
FILTERS			
PRESSURE REGULATING FILTER			
PRF-075-RBY	X13000	¾" RBY pressure regulating filter (Outlet pressure: 2,0 bar - screen: 75µ)	5
PRF-075-BFF	X13010	¾" self-cleaning Back Flush Filter with pressure regulator (Outlet pressure: 2,0 bar - screen: 75µ)	5
PRF-100-RBY	X13013	1" RBY pressure regulating filter (Outlet pressure: 2,8 bar - screen: 75µ)	5
PRF-100-BFF	X13012	1" self-cleaning Back Flush Filter with pressure regulator (Outlet pressure: 2,8 bar - screen: 75µ)	5
RBV-200MX	X14010	75 micron replacement screen	6
BFF200M	X14302	75 micron Backflush Filter replacement screen	10
BASKET FILTER			
QKCHK-100	X14132	1" Basket Filter (screen: 75 micron)	6
QKCHK-100M	X14134	150 micron replacement screen	6
QKCHK-200M	X14136	75 micron replacement screen	6
PLASTIC INLINE FILTER			
33850124	XP33850124	1 ¼" screen filter including cartridge 125 micron	1
33860154	XP33860154	1 ¼" disk filter including cartridge 125 micron	1
34812120	XP34812120	125 µ cartridge replacement for 1 ¼" screen filter (red)	1
44823242	XP44823242	125 µ cartridge replacement for 1 ¼" Disk filter (red)	1

33870125	XP33870125	1 ½" screen filter including cartridge 125 micron	1
33940125	XP33940125	1 ½" disk filter including cartridge 125 micron	1
34815120	XP34815120	125 µ cartridge replacement for 1 ½" screen filter (red)	1
34815060	XP34815060	250 µ cartridge replacement for 1 ½" screen filter (grey)	1
34841205	XP34841205	125 µ cartridge replacement for 1 ½" Disk filter (red)	1
33870126	XP33870126	2" screen filter including cartridge 125 micron	1
33940126	XP33940126	2" disk filter including cartridge 125 micron	1
34816120	XP34816120	125 µ cartridge replacement for 2" screen filter (red)	1
34816060	XP34816060	250 µ cartridge replacement for 2" filter (grey)	1
34841206	XP34841206	125 µ cartridge replacement for 2" Disk filter (red)	1
DISTRIBUTION COMPONENTS (16 mm)			
BLANK DRIP TUBING			
ZDBL025	ZDBL025	Blank Drip Tubing Black 25 m coil	1
DBL050	DBL050	Blank Drip Tubing Black 50 m coil	1
DBL100	DBL100	Blank Drip Tubing Black 100 m coil	1
ZDP160025	ZDP160025	Blank Drip Tubing Brown 25 m coil	1
DP160050	DP160050	Blank Drip Tubing Brown 50 m coil	1
DP1600	DP1600	Blank Drip Tubing Brown 100 m coil	1
DRIPLINE: The Best Reliability and Durability			
DP162233050	DP162233050	50 m coil; Emitter spacing: 33 cm; Flow: 2,2l/h	1
DP162233100	DP162233100	100 m coil; Emitter spacing: 33 cm; Flow: 2,2l/h	1
DP162233200	DP162233200	200 m coil; Emitter spacing: 33 cm; Flow: 2,2l/h	1
DP16224050	DP16224050	50 m coil; Emitter spacing: 40 cm; Flow: 2,2l/h	1
DP162240100	DP162240100	100 m coil; Emitter spacing: 40 cm; Flow: 2,2l/h	1
DP162250100	DP162250100	100 m coil; Emitter spacing: 50 cm; Flow: 2,2l/h	1
FITTINGS (16 mm)			
MDCF SERIES : Make the right connection			
MDCFCOUP	X43000	Easy Fit Coupling	20
MDCFEL	X43001	Easy Fit Elbow	20
MDCFTEE	X43002	Easy Fit Tee	20
MDCF50MPT	X43003	½" Male Pipe thread Adapter	20
MDCF75MPT	X43004	¾" Male Pipe thread Adapter	20
MDCF50FPT	X43005	½" Female Pipe thread Adapter	20
MDCF75FPT	X43006	¾" Female Pipe thread Adapter	20
MDCF75FHT	X43007	¾" Female Hose thread Adapter	20
MDCFCAP	X43008	Removable Flush Cap For easy Fit Fittings	20
AIR/VACUUM RELIEF VALVE			
AR Valve Kit	X17000	Kit includes ¾" air relief valve, Easy Fit Tee, and Flush Cap	4
LOCK TYPE FITTINGS for 16 mm Tubing			
BF-12 lock	XP0012	Quick union coupling for 16 mm tubing	50
BF-22 lock	XP0022	Quick elbow coupling for 16 mm tubing	50
BF-32 lock	XP0032	Quick tee coupling for 16 mm tubing	50

BF-82-50 lock	XP008250	16 mm Quick union coupling x ½" male threaded	50
BF-62-50 lock	XP006250	16 mm Quick union coupling x ½" female threaded	50
BF-82-75 lock	XP008275	16 mm Quick union coupling x ¾" male threaded	50
BF-62-75 lock	XP006275	16 mm Quick union coupling x ¾" female threaded	50
BF-plug lock	XP0062	Quick end-plug for 16 mm tubing	50
ACETAL TRANSFER FITTINGS for 16 mm Tubing			
BFA- 12-16	XLGDRA50	Barb connector for 16 mm tubing	50
BFA- 22-16	XLGCA50	Barb elbow for 16 mm tubing	50
BFA- 32-16	XLGTEA50	Barb Tee for 16 mm tubing	50
TRANSFER FITTINGS for 16 mm Tubing			
BF-12-16	XLGDR50	Barb connector for 16 mm tubing	50
BF-22-16	XLGC050	Barb elbow for 16 mm tubing	50
BF-32-16	XLGTE50	Barb Tee for 16 mm tubing	50
MANUAL VALVES for 16 mm Tubing			
BF-62	XLV341316	¾" Female threaded x barb manual valve for 16 mm tubing	10
BF-72	XLV1316	Manual valve with barbed inlet and outlet for 16 mm tubing	10
BF-82	XLV13162027	¾" Male threaded x barb manual valve for 16 mm tubing	10
BF-92 lock	XP0092	¾" Lock type manual valve for 16 mm tubing	10
BF-102	XP0102	¾" Male threaded x ¾" Male threaded manual valve	10
ADAPTERS for 16 mm Tubing			
BF-52	XLGC07516	¾" Female adapter for 16 mm tubing	25
R-34-16	XLG7550	¾" Male adapter for 16 mm tubing	25
ACCESSORIES AND TOOLS (16 mm)			
ACCESSORIES for 16 mm Tubing			
Clamp	XCL017	Clamp for 16 mm tubing	100
C12	XPD3113	Tie-down stake for 16 mm tubing	25
700-CF-22	XPD3020	Tubing end closure for 16 mm tubing	25
End Plug	XPL1126	End plug for for 16 mm tubing	50
EMA-GPX	XPL1117	Tubing goof plug	80
TOOLS for 16 mm Tubing			
XM-Tool	X80100	Installation tool for self-piercing emitters and goof plug	1
T135SS	T135SS	Tubing cutter	1
HOLE PUNCH	XPD3300	Hole punch for 16 mm tubing	10
EMITTERS			
XB-PC Series: Pressure compensating Self-piercing Emitters - color-coded			
XB-05PC	X68525	2 l/h Flow: blue	100
XB-10PC	X68530	4 l/h Flow: black	100
XB-20PC	X68535	8 l/h Flow: red	100
PC MODULES: Point Source Emission Devices - color-coded			
PC-12	X71012	45 l/h Flow: Dark brown	200

PC-18	X71018	68 l/h Flow: white	200
PC-24	X71024	91 l/h Flow: orange	200
Multi-Outlet emitter			
XB-10-6	X67000	6-outlet emitter; Flow per outlet: 4 l/h	10
EMT-6X	X57000	6-outlet manifold; free flowing ¼" barb outlets, ½" threaded inlet	10
SXB SERIES: Micro-Sprinklers with Distinct streams and adjustable flow			
SXB-180	XPD1502	180° threaded micro-sprinkler	20
SXB-360	XPD1402	360° threaded micro-sprinkler	20
SXB-360-025	X64036	360° barbed micro-sprinkler	20
SXB/XS on Spike: Adjustable flow Micro-Spray on Spike			
SXB-360-SPYK	XPD1403	360° Adjustable flow micro-spray on spike	10
XS-360TS-SPYK	XPD1303	360° Adjustable flow micro-spray on spike (fan spray)	10
Micro-Sprinkler on SPIKE			
Jet spike 90°	XT020034	90° micro-sprinkler - spike 310 mm	10
Jet spike 180°	XT020035	180° micro-sprinkler - spike 310 mm	10
Jet spike 360°	XT020036	360° micro-sprinkler - spike 310 mm	10
XS Series: Adjustable flow and Micro-Sprays			
XS-90	XPD13118	90° self-tapping threaded Micro-Spray	10
XS-180	XPD13128	180° self-tapping threaded Micro-Spray	10
XS-360	XPD13148	360° self-tapping threaded Micro-Spray (18 orifices)	10
ULTRASTAKES			
Ultrastake 200	XT10047	Riser & stake for drip applications - Stake 200 mm + Riser 155 mm	50
Ultrastake 310	XT10046	Riser & stake for drip applications - Stake 310 mm + Riser 210 mm	50
DISTRIBUTION COMPONENTS (4-6 mm)			
TRANSFER FITTINGS for 4-6 mm Tubing			
BF-1	XPD2304	Barb Connector for 4-6 mm tubing	50
BF-2	XPD2204	Barb x Barb Elbow for 4-6 mm tubing	50
BF-3	XPD2104	Barb Tee for 4-6 mm tubing	50
Distribution Accessories			
SPB-025	X42030	Self-piercing barb connector for 16 mm tubing	25
PFR/RS	X56500	Riser/stake assembly - riser 30 cm	250
DT-025-50	XP32000	4-6 mm distribution tubing (15 m coil)	8
DT-025-1000	XP32001	4-6 mm distribution tubing (300 m coil)	2
TS-025	X54000	Tubing stake for 6 mm distribution tubing	100
DBC-025	X50000	Diffuser bug cap for 6 mm distribution tubing	50
MICRO SPRAY HEADS			
XERI-POP™: Micro Pop-up Spray			
XP400X	X54400	Xeri-Pop 4" with ¼" threaded Inlet	10
XP600X	X54600	Xeri-Pop 6" with ¼" threaded Inlet	10
1800™ RETROFIT KIT			
XC-1800	X20000	Caps for 1800™ Spray Heads	10
1800 RETRO	X21000	1800™ Retrofit Kit	1
XPCN Series: Xeri-Pressure Compensating Nozzles			
XPCNFUL	X54900	Xeri-Pressure Compensating Nozzle - Full	25

XPCNHLF	X54901	Xeri-Pressure Compensating Nozzle - Half	25
XPCNQTR	X54902	Xeri-Pressure Compensating Nozzle - Quarter	25
XPCNADP24	X54905	XPCN Adapter with 24" Polyflex Riser Assembly	25
ROOTS WATERING SYSTEM			
RWS SERIES: The best way to encourage healthy trees			
RWS-BGX	A22430	RWS includes locking grate, 1401 Bubbler and 45 cm of Swing Pipe	6
RWS-M-BG	A22460	RWS-Mini includes locking grate, 1401 Bubbler, spiral barb elbow for attachment of ½" swing pipe	12
RWS-S-BG	A22485	RWS-Shrub includes snap-on cap, 1401 Bubbler, spiral barb elbow for attachment of ½" swing pipe	20
RWS-SOCK	A22435	RWS Sand Sock. Total list price for a bag of 6 units.	8
IRRIGATION SUPPLEMENT			
RB-IS PACK SERIES			
RB-IS PACK-F	ZS10035D	30-day Gel Pack with French Packaging for counter sales	48
RB-IS PACK-S	ZS10036D	30-day Gel Pack with Spanish Packaging for counter sales	48
RB-IS PACK-P	ZS10037D	30-day Gel Pack with Portuguese Packaging for counter sales	48
RB-IS PACK-I	ZS10039D	30-day Gel Pack with Italian Packaging for counter sales	48
RB-IS PACK-GR	ZS10043D	30-day Gel Pack with Greek Packaging for counter sales	48
Displays			
RB-IS BOX- FR	ZS10035BOX	Display for RB-IS Pack in French (without products)	1
RB-IS BOX- S	ZS10036BOX	Display for RB-IS Pack in Spanish (without products)	1
RB-IS BOX- P	ZS10037BOX	Display for RB-IS Pack in Portuguese (without products)	1
RB-IS BOX- I	ZS10039BOX	Display for RB-IS Pack in Italian (without products)	1
RB-IS BOX- GR	ZS10043BOX	Display for RB-IS Pack in Greek (without products)	1
KITS			
DRIP Kit			
ZLVKIT4	ZLVKIT4	Drip Kit with Timer (6 languages)	4
SPRAY HEADS			
UNI-Spray™ Series - Rain Bird quality at Best Price in the Market			
5 cm (2") pop-up height			
US-212	P2101201	Uni-Spray with pre-installed 12-VAN nozzle	100
US-215	P2101501	Uni-Spray with pre-installed 15-VAN nozzle	100
10 cm (4") pop-up height			

US-410	P4101001	Uni-Spray with pre-installed 10-VAN nozzle	50
US-412	P4101201	Uni-Spray with pre-installed 12-VAN nozzle	50
US-415	P4101501	Uni-Spray with pre-installed 15-VAN nozzle	50
US-400	P40000	Uni-Spray, Body only, Pop-up height: 10 cm (4")	50
Uni-Spray Accessories			
US-SAM-KIT	P90000	Uni-Spray SAM-Kit. Holds back up to 1,5 m of elevation difference	25
1800™ Spray Head Series - N°1 Selling Spray Head for 25 years !			
Basic model			
1802	A44020	Pop-up height: 5 cm (2")	100
1803-V15	A50615	Pop-up height: 7,5 cm (3") with pre-installed 15-VAN nozzle	75
1804	A44120	Pop-up height: 10 cm (4")	75
1804-V12	A44155	Pop-up height: 10 cm (4") with pre-installed 12-VAN nozzle	75
1804-V15	A44150	Pop-up height: 10 cm (4") with pre-installed 15-VAN nozzle	75
1806	A44205	Pop-up height: 15 cm (6")	50
1812	A44305	Pop-up height: 30 cm (12")	50
SAM Seal-a-matic™ model with built-in check valve			
1804-SAM	A43905	Pop-up height: 10 cm (4")	75
1806-SAM	A43912	Pop-up height: 15 cm (6")	50
1812-SAM	A43930	Pop-up height: 30 cm (12")	50
SAM Seal-a-matic™ and PRS built-in pressure regulator model			
1804-SAM-PRS	A44915	Pop-up height: 10 cm (4")	75
1806-SAM-PRS	A43715	Pop-up height: 15 cm (6")	50
1812-SAM-PRS	A43815	Pop-up height: 30 cm (12")	50
SPRAY HEAD NOZZLES			
MPR Nozzle Series - Matched Precipitation Rates for design flexibility			
5 SERIES (Red) - 5° trajectory			
5F	A47086	360° MPR Full Circle pattern	25
5H	A47083	180° MPR Half Circle pattern	25
5T	A47085	120° MPR Third Circle pattern	25
5Q	A47084	90° MPR Quarter Circle pattern	25
8 SERIES (Green) - 10° trajectory			
8F	A4701801	360° MPR Full Circle pattern	25
8H	A4701901	180° MPR Half Circle pattern	25
8T	A4703201	120° MPR Third Circle pattern	25
8Q	A4702001	90° MPR Quarter Circle pattern	25
10 SERIES (Blue) - 15° trajectory			
10F	A47015	360° MPR Full Circle pattern	25
10H	A47016	180° MPR Half Circle pattern	25
10T	A47031	120° MPR Third Circle pattern	25
10Q	A47017	90° MPR Quarter Circle pattern	25
12 SERIES (Brown) - 30° trajectory			
12F	A47009	360° MPR Full Circle pattern	25
12TQ	A47010	270° MPR Three Quarter Circle pattern	25
12H	A47012	180° MPR Half Circle pattern	25

12T	A47013	120° MPR Third Circle pattern	25
12Q	A47014	90° MPR Quarter Circle pattern	25
15 SERIES (Black) - 30° trajectory			
15F	A47000	360° MPR Full Circle pattern	25
15TQ	A47001	270° MPR Three Quarter Circle pattern	25
15H	A47070	180° MPR Half Circle pattern	25
15T	A47004	120° MPR Third Circle pattern	25
15Q	A47005	90° MPR Quarter Circle pattern	25
15CST	A47007	Center Strip pattern	25
15EST	A47006	End Strip pattern	25
15SST	A47008	Side Strip pattern	25
9SST	A47047	Side Strip pattern 2,7 x 5,5 m	25
MPR Bubblers (Gray) - 0° trajectory			
5FB	A47027	360° MPR Full Circle pattern	25
5HB	A47028	180° MPR Half Circle pattern	25
5QB	A47029	90° MPR Quarter Circle pattern	25
5CSTB	A47030	MPR Center Strip pattern	25
VAN Nozzle Series - Maximum flexibility to Save Time and Speed-Up			
Variable Arc Nozzles			
4-VAN	P10004	Adjustable nozzle size 4, trajectory: 0° - Yellow	25
6-VAN	P10006	Adjustable nozzle size 6, trajectory: 0° - Orange	25
8-VAN	P10008	Adjustable nozzle size 8, trajectory: 5° - Green	25
10-VAN	P1001001	Adjustable nozzle size 10, trajectory: 10° - Blue	25
12-VAN	P1001201	Adjustable nozzle size 12, trajectory: 15° - Brown	25
15-VAN	P1001501	Adjustable nozzle size 15, trajectory: 23° - Black	25
18-VAN	P10018	Adjustable nozzle size 18, trajectory: 26° - Beige	25
U-Series Nozzles - Dual orifices for close-in watering and optimum water			
8 SERIES (Green)			
U-8-F	U10320	360° Full Circle pattern	25
U-8-H	U10310	180° Half Circle pattern	25
U-8-Q	U10315	90° Quarter Circle pattern	25
10 SERIES (Blue)			
U-10-F	U10220	360° Full Circle pattern	25
U-10-H	U10210	180° Half Circle pattern	25
U-10-Q	U10215	90° Quarter Circle pattern	25
12 SERIES (Brown)			
U-12-F	U10120	360° Full Circle pattern	25
U-12-H	U10110	180° Half Circle pattern	25
U-12-Q	U10115	90° Quarter Circle pattern	25
15 SERIES (Black)			
U-15-F	U10020	360° Full Circle pattern	25
U-15-H	U10010	180° Half Circle pattern	25
U-15-Q	U10015	90° Quarter Circle pattern	25
BUBBLERS			
1400 SERIES - Full Circle and Pressure Compensating			

1401	A16110	Flow: 0.02 l/s trickle pattern	25
1402	A16120	Flow: 0,03 l/s trickle pattern	25
1404	A16130	Flow: 0,06 l/s umbrella pattern	25
1408	A16140	Flow: 0,13 l/s umbrella pattern	25
SPRAY HEAD ACCESSORIES			
Adapters			
Adapters			
PA-8S	A16501	½" female threaded adapter to mount nozzles on threaded risers	50
XBA-1800	X51000	Adapter to mount XS and SXB Series on 1800™ Series	25
Extention			
Plastic extension (15 cm)			
1800-EXT	A44500	Female thread fits 1800™/UNI-Spray™ x Male thread for nozzles	50
ROTARY NOZZLES			
Rotary Nozzles - Reduce your system complexity and cost !			
R 13-18 SERIES			
R 13-18 F	A84545	5,5 m Full circle pattern	10
R 13-18 TQ	A84544	5,5 m Three Quarter circle pattern	10
R 13-18 TT	A84542	5,5 m Two Thirds circle pattern	10
R 13-18 H	A84540	5,5 m Half circle pattern	10
R 13-18 T	A84537	5,5 m Third circle pattern	10
R 13-18 Q	A84535	5,5 m Quarter circle pattern	10
R 17-24 SERIES			
R 17-24 F	A84560	7,3 m Full circle pattern	10
R 17-24 TQ	A84559	7,3 m Three Quarter Circle pattern	10
R 17-24 TT	A84557	7,3 m Two Thirds circle pattern	10
R 17-24 H	A84555	7,3 m Half circle pattern	10
R 17-24 T	A84552	7,3 m Third circle pattern	10
R 17-24 Q	A84550	7,3 m Quarter circle pattern	10
US-400	P40000	Uni-Spray, Body only, Pop-up height: 10 cm (4")	50
½" ROTOR POP-UP SPRINKLERS			
3504 SERIES - Europe's Best-selling ½" Rotor			
3504 Rotor			
3504-PC	Y34000	Part circle (40-360°) and reversing full circle model	20
3504-PC-SAM	Y34500	Part circle (40-360°) and reversing full circle model with SAM check valve. Holds back up to 2,1m of elevation difference.	20
3504 Nozzles			
3504TREE	Y03500	3504 Rotor nozzle ring	10
¾" ROTOR POP-UP SPRINKLERS			
5000 SERIES - The Competitively priced 5004 Rotor			
5004 Rotors			

5004 PC/3.0	Y5430730PP	Part-circle and full circle model (40-360°); Pop-up height: 4" (10 cm); Nozzle size 3.0 pre-installed. 20 nozzle trees included.	20
5004-UPG - Don't just change out a rotor, UPGrade it !			
UPG-PC	Y60000	5000 UPG Series, 4" Part/Reverse Full Circle	20
5000 Plus SERIES - The World's Best Quality Rotor			
5004 Plus Rotors			
5004 Plus-PC/3.0	Y4530030PP	Part-circle and full circle model (40-360°); Pop-up height: 4" (10 cm) Nozzle size 3.0 pre-installed	20
5004 Plus-FC	Y45010	Full circle model (360°); Pop-up height: 4" (10 cm)	20
5004 Plus-PC-SS-SAM	Y45752SS30	Part-circle and full circle model (40-360°); Stainless steel covered riser stem with SAM check valve; Pop-up height: 4" (10 cm) Nozzle size 3.0 pre-installed	20
5006 Plus Rotors			
5006 Plus-PC	Y45800	Part-circle and full circle model (40-360°); Pop-up height: 6" (15 cm)	20
5006 Plus-PC-SS-SAM	Y45950SS	Part-circle and full circle model (40-360°); Stainless steel covered riser stem with SAM check valve; Pop-up height: 6" (15 cm)	20
5012 Plus Rotors			
5012 Plus-PC	Y46000	Part-circle and full circle model (40-360°); Stainless steel covered riser stem; Pop-up height: 12" (30 cm)	20
5000 PRS/5000 PLUS PRS SERIES - The World's Best Rotor with			
5004 PRS Rotors			
5004 PC-R	Y74007	Part circle and full circle model (40-360°) with pressure regulator system; Pop-up height: 4" (10 cm)	20
5004 Plus PRS Rotors			
5004 PL-PC-S	Y65750SS	Part circle and full circle model (40-360°) with pressure regulator system; stainless steel covered riser stem, SAM check valve	20
5000 Accessories			
5000 Rain Curtain™ Nozzles			
5000 Plus TREE	Y04500	5000 Plus Rotor Standard Rain Curtain nozzle tree	10
8.5			
5000 Plus MPR	Y04625	5000 Plus MPR nozzle tree (F, H, T and Q) 7,62 m (Red)	10
5000 Plus MPR	Y04630	5000 Plus MPR nozzle tree (F, H, T and Q) 9,14 m (Green)	10
5000 Plus MPR	Y04635	5000 Plus MPR nozzle tree (F, H, T and Q) 10,67 m (Beige)	10
5000 Accessories			
ROTORTOOL	Y05100	5000 Rotor screwdriver	10

5000 Plus SAM Kit	170452	5000 Plus SAM Kit. Holds back up to 2,1 m of elevation difference	50
5500 SERIES - All Features and Benefits of 7005/8005 scaled down to a ¾"			
5505 Rotors			
5505	B8250006	Part/Full Circle with 5" plastic riser stem and nozzle size 6 pre-installed	20
5505 SS	B8260006	Part/Full Circle with 5" stainless steel covered riser stem and nozzle size 6 pre-installed	20
5512 Rotor			
5512	B82900	Part/Full Circle with 12" plastic riser stem and side inlet	20
5500 Rain Curtain™ Nozzles. To be ordered separately			
B8240002	B8240002	Color: Orange; size: 2.0	20
B8240003	B8240003	Color: Red; size: 3.0	20
B8240004	B8240004	Color: Black; size: 4.0	20
B8240005	B8240005	Color: Yellow; size: 5.0	20
B8240006	B8240006	Color: Light Blue; size: 6.0	20
B8240008	B8240008	Color: Dark Green; size 8.0	20
B8240010	B8240010	Color: Grey; size: 10.0	20
B8240012	B8240012	Color: Beige; size: 12.0	20
B8240089	B8240089	5500 series short throw nozzle tree (18S, 22S, 26S, and 30S)	10
MAXI-PAW - A Tradition of Excellence			
MAXI-PAW Rotor			
2045A-08	B0690008	Full/Part Circle with interchangeable size 08 Nozzle pre-installed	20
Nozzles for MAXI-PAW™: Angle 23°			
206592-06	20659206	Color: Red; Size: 06	100
206592-07	20659207	Color: Black; Size 07	100
206592-08	20659208	Color: Blue; Size: 08	100
206592-10	20659210	Color: Yellow; Size: 10	100
206592-12	20659212	Color: Beige; Size: 12	100
Nozzles for MAXI-PAW™: Low Angle 11°			
115902-07	11590207	Color: Black; Size 07	100
115902-10	11590210	Color: Yellow; Size 10	100
Maxi-Paw Accessories			
205396	205396	MAXI-PAW™ SAM Kit. Holds back up to 1,8 m of elevation difference	1
TOOLS AND ACCESSORIES FOR SPRAY HEADS AND MID-RANGE ROTORS			
Swing Pipe			
Spiral Barb Fittings			
SBE-050	A46010	Spiral barb fitting: ½" male x barb elbow	50
SBE-075	A46011	Spiral barb fitting: ¾" male x barb elbow	50
SBA-050	A46003	Spiral barb fitting: ½" male x barb adapter	50
SBA-075	A46005	Spiral barb fitting: ¾" male x barb adapter	50
SB-CPLG	A46006	Spiral barb fitting: barb x barb coupling	50
SB-TEE	A46004	Spiral barb fitting: barb x barb x barb tee	50
SP-100			

SP-100/30	L02600	Break resistant polyethylene swing pipe, 12,5 mm ID, 30 m coil	1
SPX Flex			
SPXFLEX30	L02700	SPX Flex tubing 30 m coil	1
SPXFLEX050	L0270050	SPX Flex tubing 50 m coil	1
SPXFLEX100	L02700100	SPX Flex tubing 100 m coil	1
Swing Assemblies			
LSBE050K	LSBE050K	Swing Assembly ½", 30cm	20
LSBE075K	LSBE075K	Swing Assembly ¾", 30cm	20
Installation and Maintenance Accessories			
Installation and Maintenance Accessories			
PVRA-050	A66040	¾" female x ½" male threaded anti-vandal fitting	10
PVRA-075	A66045	¾" female x ¾" male threaded anti-vandal fitting	10
LOCTITE55	LOC055	Leak-proof joint, 1 coil of 50 meters	24
232693S	232693S	Rotor Stem Hold Up tool	1
ACV050	LACV050	Adjustable check valve: ½" F x ½" M	1
ACV075	LACV075	Adjustable check valve: ¾" F x ¾" M	1
42064	B41866	Maxi-Paw Sprinkler Wrench	1
41017	A90917	Pitot Tube (use w/ Pressure Gauge)	1
HCTCOMBO	HCTCOMBO	Hole coring tool ½"	1
1" ROTOR POP-UP SPRINKLERS			
FALCON® 6504 SERIES - Proven Performance			
Plactic riser and pre-installed nozzle size 18			
FALCON FC	B6531118	Full Circle model	20
FALCON PC	B6530118	Part Circle model	20
Stainless steel riser and pre-installed nozzle size 18			
FALCON FC-SS	B6581118	Full Circle model, with stainless steel riser sleeve	20
FALCON PC-SS	B6580118	Part-Circle model, with stainless steel riser sleeve	20
Stainless steel riser and high speed LESS Nozzle			
FALCON FC-SS-HS	B65851	High Speed full circle model, with stainless steel riser sleeve	20
FALCON PC-SS-HS	B65841	High Speed part circle model, with stainless steel riser sleeve	20
7005 SERIES - The 1st Worldwide choice for sports field applications			
Plastic riser and pre-installed Rain Curtain™ nozzle size 18			
7005	B8200018	True full and part circle model	20
Stainless steel riser and pre-installed Rain Curtain™ nozzle size 18			
7005-SS	B8220018	True full and part circle model, Stainless steel riser sleeve	20
FALCON® 6504 and 7005 RAIN CURTAIN™ Nozzles - To be ordered separately			
B81600-04	B8160004	Color: Black; Size: 04	20
B81600-06	B8160006	Color: Light Blue; Size: 06	20
B81600-08	B8160008	Color: Green; Size: 08	20
B81600-10	B8160010	Color: Gray; Size: 10	20

B81600-12	B8160012	Color: Beige; Size: 12. Can be used for Falcon, 7005, 8005	20
B81600-14	B8160014	Color: Light Green; Size: 14. Can be used for Falcon, 7005, 8005	20
B81600-16	B8160016	Color: Brown; Size: 16. Can be used for Falcon, 7005, 8005	20
B81600-18	B8160018	Color: Dark Blue; Size: 18. Can be used for Falcon, 7005, 8005	20
SOD CUP	B80000	Sod Cup is designed to fit the 7005/8005 rotors	6
8005 SERIES - A Full-Featured State-of-the-Art Commercial Rotor!			
Plastic riser and pre-installed Rain Curtain™ nozzle size 26			
8005	B8120026	True full and part circle model	20
Stainless steel riser and pre-installed Rain Curtain™ nozzle size 26			
8005-SS	B8140026	True full and part circle model, Stainless steel riser sleeve	20
8005 RAIN CURTAIN™ Nozzles - To be ordered separately			
B81600-12	B8160012	Color: Beige; Size: 12. Can be used for Falcon, 7005, 8005	20
B81600-14	B8160014	Color: Light Green; Size: 14. Can be used for Falcon, 7005, 8005	20
B81600-16	B8160016	Color: Brown; Size: 16. Can be used for Falcon, 7005, 8005	20
B81600-18	B8160018	Color: Dark Blue; Size: 18. Can be used for Falcon, 7005, 8005	20
B81600-20	B8160020	Color: Red; Size: 20. Can be used only for 8005	20
B81600-22	B8160022	Color: Yellow; Size: 22. Can be used only for 8005.	20
B81600-24	B8160024	Color: Orange; Size: 24. Can be used only for 8005.	20
B81600-26	B8160026	Color: White; Size: 26. Can be used only for 8005.	20
SOD CUP	B80000	Sod Cup is designed to fit the 7005/8005 rotors	6
1,5" ROTOR POP-UP SPRINKLERS			
EAGLE 900/950 SERIES - The Rotor that delivers Long-Term Performance			
EAGLE™ 900: Full circle Model			
900E	E00100-XX	Full Circle Electric Rotor (5.5 Bar) w/TSRS, 1,5" If no nozzle size is specified, Eagle rotors will be shipped with standard nozzles. Standard nozzles are: 900's = 60 black	1
Nozzles for EAGLE™ 900 SERIES			
212067-XX	212067-XX	High Performance Nozzle Housing Kit with high perf. Please specify size: 44,48,52,56,60,64. Includes cover, retract seal, stator, housing	1
EAGLE™ 950: Part circle Model			
950E	E00450-XX	Part Circle Electric Rotor (5.5 Bar) w/TSRS, 1,5" If no nozzle size is specified, Eagle rotors will be shipped with standard nozzles. Standard nozzles are: 950's = 28 green	1

Nozzles for EAGLE™ 950 SERIES			
211441-XX	211441-XX	Nozzle / Stator Kit for Eagle™ 950; Please specify nozzle size (18, 20, 22, 24)	1
211215-XX	211215-XX	Nozzle / Stator Kit for Eagle™ 950 non-Cascade Sizes: 26, 28, 30, 32	1
Covers for EAGLE™ 900/950			
Covers for EAGLE™ 900/950			
900 RC	212553	Rubber cover and case ring for Eagle 900	1
950 RC	212554	Rubber cover and case ring for Eagle 950	1
ARTGR	B99500	Artificial grass cover and case ring for EAGLE™ 900/950	1
ARTNOGR	B99600	Artificial grass cover without grass for EAGLE™ 900/950	1
P00080	P00080	Aluminium Plate for EAGLE™ 900/950	1
RAIN BIRD SWING JOINTS - Innovative Elbow design reduces pressure losses by 50%			
30 cm (12") Length			
SJ-12-100-22	JB000022	Inlet:1" / Outlet: 1" / Lay length: 12" (30cm)	1
SJ-12-150-22	JH000022	Inlet: 1,5" / Outlet: 1,5" / Lay length: 12" (30cm)	1
45,7 cm (18") Length			
SJ-18-100-22	JC000022	Inlet: 1" / Outlet: 1" / Lay length: 18" (45,7cm)	15
SJ-18-150-22	JI000022	Inlet: 1,5" / Outlet: 1,5" / Lay length: 18" (45,7cm)	10
TOOLS AND ACCESSORIES FOR LONG-RANGE ROTORS			
Tools			
41017	A90917	Pitot Tube (use w/ Pressure Gauge)	1
232693S	232693S	Rotor Stem Hold Up tool	1
VT-DR	B41700	Valve insertion tool for EAGLE™ 900/950 Series	1
SRP	D02203	Snap ring pliers for EAGLE™ 900/950	1
IS-TSRS	D02237	Installation Socket for TSRS (White) for all Top-Serviceable Rock Screens & Replaceable Valve Seats	1
EGL-SVK	B41720	Selector service tool / key for electric valve-in-head rotors	1
DR-SVK-7	D02215	Selector valve key for EAGLE™ Electric VIH Rotors (7")	1
ABOVE GRADE IMPACT SPRINKLERS			
½" FULL CIRCLE SPRINKLERS			
LF SERIES SPRINKLERS			
LF1200	A85001B-XXYY	½" full circle low flow sprinkler. 270 l/h to 480 l/h, radius 7,50 m to 11 m. Please specify deflector angle (XX) and nozzle size (YY). XX = Deflector angle available: 06°, 12°, 17°, 21° YY = Nozzle sizes available: 05 (5/64"); 44; 06 (3/32"); 38; 30	80

LF2400	A85201C-XXYY	½" full circle low flow sprinkler. 450 l/h to 910 l/h, radius 8,80 m to 13,70 m. Please specify deflector angle (XX) and nozzle size (YY). XX = Deflector angle available: 10°, 15°, 22° YY = Nozzle sizes available: 30; 08 (1/8"); 29; 09 (9/64")	80
LF Accessories			
LF-GUARD	118366	LF Edge Guard, half circle snap on adapter, Keep water out of certain areas	1
MAXI-BIRD™ - Riser-mounted Impact Sprinkler			
MAXI-BIRD™ Sprinkler			
2045PJ-08	B4600008	Full/Part circle plastic impact sprinkler with standard nozzle size 08 pre-installed	20
Nozzles for MAXI-BIRD™: Angle 23°			
206592-06	20659206	Color: Red; Size: 06	100
206592-07	20659207	Color: Black; Size 07	100
206592-08	20659208	Color: Blue; Size: 08	100
206592-10	20659210	Color: Yellow; Size: 10	100
206592-12	20659212	Color: Beige; Size: 12	100
Nozzles for MAXI-BIRD™: Low Angle 11°			
115902-07	11590207	Color: Black; Size 07	100
115902-10	11590210	Color: Yellow; Size 10	100
SELF-PROPELLED SPRINKLER			
TR-TRAVELER SERIES - When you cannot have underground irrigation, have			
TR-4-90	RKT4090	Four-wheel model; 90-meter cable less cover, less sprinkler	1
TR-4-135	RKT4135	Four-wheel model; 135-meter cable less cover, less sprinkler	1
Traveler cover	RKT3075	Cover for self-propelled sprinkler	1
25BPJ-TNT: Impact Sprinkler for use on riser			
½" Male Threaded Inlet			
25BPJ-FP-ADJ-DA-TN	A3440310	Full/Part circle brass impact sprinkler with pre-installed Nozzle size 10	1
Nozzles for 25BPJ-TNT			
106160-XX	106160-XX	Nozzle sizes available: 09 (9/64"), 10 (5/32")	20
35A-PJDA-TNT: Impact Sprinkler for use on riser			
¾" Male Threaded Inlet			
35A-PJDA-TNT Less	A39400	Full/Part circle brass impact sprinkler, LESS nozzle	1
Nozzles for 35A-PJDA-TNT			
100332-XX	100332-XX	Nozzle sizes available: 10 (5/32"), 12 (3/16")	1
65PJ-TNT			
1" BSP Female Threaded Inlet			
65PJ-TNT Less	AG2101	Full/Part circle brass impact sprinkler, LESS nozzle	1
Nozzles for 65PJ-TNT Series			
100382-XX	100382-XX	Nozzle sizes available: 14(7/32"), 16(¼"), 18(9/32"), 20(5/16"), 22(11/32"), 24(3/8")	1

85EWH Series			
1,25" BSP Male Threaded Inlet			
85EWH Less	A23654	Full/Part circle brass impact sprinkler LESS nozzle, with plug	1
Nozzles for 85EWH Series			
103043-XX	103043-XX	Range Nozzle sizes available: 22(11/32"), 24(3/8"), 26(13/32"), 28(7/16"), 30(15/32"), 32(1/2"), 34(17/32"), 36(9/16"), 40(5/8"), 44(11/16")	1
LAN-14	10022614	Spreader Nozzle, 20°, 7/32" (5,60 mm)	1
RAIN GUN® SPRINKLERS: Longer life, improved Performance and Better value			
SR2005			
3" Model - Flange mount			
SR2005	L10065	SR2005 + Set of 6 Plastic Taper Bore Nozzles GNS-2005T (21 mm, 23 mm, 26 mm, 28 mm, 30 mm, 33 mm)	1
Nozzles for SR2005 Series			
L00250	L00250	Set of 6 Plastic Taper Bore Nozzles: GNS-2005T (21 mm, 23 mm, 26 mm, 28 mm, 30 mm, 33 mm)	1
L00255	L00255	Stainless Steel Ring Orifice Nozzle Set: GNS-20050	1
SR3003			
2" Model -Flange mount			
SR3003	L103003	SR3003 with 6 Taper Bore Nozzles GNS-3003T (14 mm, 16 mm, 18 mm, 20 mm, 22 mm, 24 mm)	1
Nozzles for SR3003 Series			
L003003	L003003	Set of 6 Plastic Taper Bore Nozzles (14 mm, 16 mm, 18 mm, 20 mm, 22 mm, 24 mm)	1
Adapter			
71P50545	71P50545	2" Female BSP adapter for Mounting on 2" Male Riser	1
ELECTRIC VALVES			
LOW FLOW VALVE: Made especially for drip irrigation systems			
3/4" LFV Series			
LFV075	X12100	3/4" female threaded Low Flow Valve, 24 VAC	12
LFV075-9V	X12105	3/4" female threaded Low Flow Valve, 9V Solenoid	12
JTV SERIES: Maintenance has never been easier!			
1" JTV Series			
100-JTV	W01000	1" BPS female threaded Jar Top Valve, 24 VAC solenoid	20
100-JTV 9V	W01040	1" BSP female threaded Jar Top Valve, 9V solenoid	20
1" JTV Male Threaded Series			
100-JTV-MM	W05000	1" BSP male threaded Jar Top Valve, 24 VAC	20
1" JTV with Flow Control			

100-JTVF	W01100	1" BSP female threaded Jar Top Valve with, control mechanism, 24 VAC	20
JTV Accessories			
BWJTV	B71101	JTV bonnet wrench	1
DV SERIES: The Right Choice in Valves			
¾" DV Series			
075-DV	B72110	¾" female threaded valve, 24 VAC	20
075-DV 9V	B72140	¾" Female threaded valve with 9V latching solenoid	20
1" DV Series			
100-DV	B70211	1" BSP female threaded valve, 24 VAC	20
100-DV 9V	B70240	1" BSP female threaded valve with 9V latching solenoid	20
1" DV Male Threaded Series			
100-DV-MM	B70500	1" BSP male threaded valve, 24 VAC	20
100-DV-MM 9V	B70540	1" BSP male threaded valve with 9V latching solenoid	20
1" DV with Flow Control			
100-DVF	B70311	1" BSP female threaded valve with flow control, 24 VAC	20
PGA SERIES: Built to last...and last!			
1" PGA Series			
100-PGA	B31410	Combination globe/angle valve, 1" BSP female threads, 24 VAC	10
100-PGA 9V	B31440	100-PGA valve with 9V latching solenoid	10
1,5" PGA Series			
150-PGA	B31510	Combination globe/angle valve, 1,5" BSP female threads, 24 VAC	8
150-PGA 9V	B31540	150-PGA valve with 9V latching solenoid	8
2" PGA Series			
200-PGA	B31610	Combination globe/angle valve, 2" BSP female threads, 24 VAC	4
200-PGA 9V	B31640	200-PGA valve with 9V latching solenoid	4
PEB/PESB SERIES: Rain Bird's most durable plastic vavle			
PEB Series			
100-PEB	B34073	1" Electric Valve, 24VAC, BSP	1
150-PEB	B34083	1,5" Electric Valve, 24VAC, BSP	1
200-PEB	B34093	2" Electric Valve, 24VAC, BSP	1
PESB Series with self-cleaning scrubber			
100-PESB	B37073	1" Electric Valve, 24VAC, BSP	10
150-PESB	B37083	1,5" Electric Valve, 24VAC, BSP	8
200-PESB	B37102	2" Electric Valve, 24VAC, BSP	8
300-BPE/300-BPES SERIES: Unique combination construction of brass body and glass-filled			
3" BPE Series			
300-BPE	B38313	Combination globe/angle valve, 3" BSP female threads with flow control	1
3" BPE Series with scrubber			

300-BPES	B38213	Combination globe/angle valve, 3" BSP female threads with flow control and scrubber feature	1
QUICK COUPLING VALVES			
¾" MALE PLASTIC QUICK COUPLING VALVE			
P-33	LP3300	¾" male plastic quick coupling valve	20
P-33DK	LP3310	¾" male valve key for P-33	10
PSH-O	LP4100	Plastic swivel hose elbow for P-33DK; ¾" female x ¾" male	10
¾" FEMALE BRASS QUICK COUPLING VALVE			
3RC	B10603	¾" female brass quick coupling valve with thermoplastic cover	1
33DK	B11801	Valve key for 3RC; ½" female x ¾" male top threads	1
SH-O	B40005	Brass swivel hose elbow for 33DK; ¾" female x ¾" male	1
1" FEMALE BRASS QUICK COUPLING VALVE			
5LRC-BSP	B12806	1" BSP female threads with locking thermoplastic cover	1
2049	D06401	Cover key to lock/unlock 5LRC cover and VB1419U	1
55K-1-BSP	B13401	Key for 5LRC-BSP, 1" BSP male top threads	1
SH-2-BSP	B40103	Brass swivel hose elbow for 55K-1 BSP, 1" female BSP x 1" male BSP	1
HOSE REELS: Professional products built for professional use.			
Underground Hose Reel			
U100058	HR4066	Underground Hose Reels with 90 cm of ¾" inlet hose and 30 m of 16 mm hose length + hose + shower pro hose end nozzle	1
Hose Reel Accessories			
PHEN-075SH	A88920	Shower Pro Hose end Nozzle	1
TOOLS AND ACCESSORIES FOR ELECTRIC VALVES			
Valve Accessories			
PRS-Dial	B33135	Pressure regulator for PGA, PEB, PESB, BPE, and BPES Series	1
MTT-100	L06300	Threaded manifold valve tee: 1" male x 1" male x 1" female BSP	20
TBOSADAPP	K80510	TBOS Solenoid Adapter	16
16A-FDV	B40475	Automatic drain valve with perforated cap and fine-mesh dispersion pad	25
LU3240	LU3240	Solenoid 24V DC	4
RTF150	L70000	Cable ties	1
Valve Tools			
WIRE STRIPPER	MW9999	Wire Stripper Tool	1
BWJTV	B71101	JTV bonnet wrench	1
MANIFOLD SYSTEM			
PVC DURA MANIFOLD SYSTEM			
M301010	M.301010	Union tee: 1"M x 1"F swivel x 1"F swivel	25
M306009	M.306009	Union elbow: 1"M x 1"F swivel	25

M306010	M.306010	Union elbow: 1" F swivel x 1" F swivel	25
M320010	M.320010	Union cross: 1" M x 1" F swivel x 1" F swivel x 1" F swivel	15
M329010	M.329010	Union coupling: 1" F swivel x 1" F swivel	50
M334010	M.334010	Union coupling 1" F swivel x 1" M	50
M348010	M.348010	Plug: 1" F	100
M08303	M.08303	Double nipple: 1" M x 1" M	75
M08303-131	M.08303131	Reducer nipple: 1" M x 3/4" M	75
M3010102	M.3010102	1" M x 1" F swivel x 2 outlets 1" F swivel	25
M3010103	M.3010103	1" M x 1" F swivel x 3 outlets 1" F swivel	25
M3010104	M.3010104	1" M x 1" F swivel x 4 outlets 1" F swivel	25
QUICK CONNECT WIRE CONNECTORS			
QUICK CONNECT WIRE CONNECTORS			
DBM	L62000	Connector for a maximum of 3 wires, sized 1,5 mm ² (30V max)	10
KING	L63000	Connector for a maximum of 2 wires sized 2,5 mm ² or 3 wires sized 1,5 mm ² (30V max)	10
DBY	L60000	Connector for a maximum of 3 wires sized 2,5 mm ² (30V max)	10
DBR	L61000	Connector for a maximum of 3 wires sized 4 mm ² (30V max)	10
ELECTRIC CABLES - Cable list prices are subject to change without notice			
Multiconductor Irrigation Cable			
IRRICABLE 3/75	C03075	IRRIGATION cable, 3 color-coded conductors, 75 m drum	1
IRRICABLE 3/150	C03150	IRRIGATION cable, 3 color-coded conductors, 150 m drum	1
IRRICABLE 5/75	C05075	IRRIGATION cable, 5 color-coded conductors, 75 m drum	1
IRRICABLE 5/150	C05150	IRRIGATION cable, 5 color-coded conductors, 150 m drum	1
IRRICABLE 7/75	C07075	IRRIGATION cable, 7 color-coded conductors, 75 m drum	1
IRRICABLE 7/150	C07150	IRRIGATION cable, 7 color-coded conductors, 150 m drum	1
IRRICABLE 9/75	C09075	IRRIGATION cable, 9 color-coded conductors, 75 m drum	1
IRRICABLE 9/150	C09150	IRRIGATION cable, 9 color-coded conductors, 150 m drum	1
IRRICABLE 13/75	C13075	IRRIGATION cable, 13 color-coded conductors, 75 m drum	1
IRRICABLE 13/150	C13150	IRRIGATION cable, 13 color-coded conductors, 150 m drum	1
Single Conductor Electric Cable			
SI 115	C011530500	1x1,5 mm ² , single PE insulation cable - 500 m drum	1
SI 125	C012540500	1x2,5 mm ² , single PE insulation cable - 500 m drum	1
DI 115	C0115240500	1x1,5 mm ² , Double insulation PVC-PE cable - 500 m drum	1

DI 125	C0125240500	1x2,5 mm ² , Double insulation PVC-PE cable - 500 m drum	1
Decoder Cable			
DECODER CABLE	MW1001	2 x 2,5 mm ² blue PE-PE cable, 1000 m coil Outside diameter 11,0mm	1
DECODER CABLE	MW0501	2 x 2,5 mm ² blue PE-PE cable, 500m coil Outside diameter 11,0 mm	1
Cable Accessories			
WIRE STRIPPER	MW9999	Wire Stripper Tool	1
RTF150	L70000	Cable ties	1
POLYPRO VALVE BOX SERIES			
VBA SERIES: Valve Boxes with the Best Value for Money			
Valve box			
VBA17186	VBA17186	Round irrigation hydrant with built-in ¾" valve	7
VBA02672	VBA02672	Round valve box with bayonet-type cover.☐ Bottom diameter: 20 cm; Top diameter: 16 cm; Height: 24 cm	1
VBA02673	VBA02673	Round valve box with clip-on cover.☐ Bottom diameter: 33,5 cm; Top diameter: 24 cm; Height: 25,5 cm	1
VBA02674	VBA02674	Rectangular valve box with bolt lock cover.☐ Length x Width x Height = 50,5 x 37 x 30,5 cm	1
VBA02675	VBA02675	Rectangular valve box with bolt lock cover.☐ Length x Width x Height = 63 x 48 x 30,5 cm	1
Valve box extensions			
VBA02676	VBA02676	Extension less cover for valve box model VBA02674☐ Length x Width x Height = 39,5 x 27 x 18 cm	1
VBA07777	VBA07777	Extension less cover for valve box model VBA02675☐ Length x Width x Height = 55 x 38 x 19 cm	1
Valve box covers			
VBA02672C	VBA02672C	Cover for valve box model VBA02672	1
VBA02673C	VBA02673C	Cover for valve box model VBA02673	1
VBA02674C	VBA02674C	Cover for valve box model VBA02674	1
VBA02675C	VBA02675C	Cover for valve box model VBA02675	1
HDPE VALVE BOX SERIES			
VB SERIES: The most specified box in the world!			
Valve boxes			
VB708B	VB708B	Black round valve box and cover.☐ Bottom diameter: 20 cm; Top diameter: 15,2 cm; Height: 23,3 cm	1
VB910B	VB910B	Green round valve box with boltlock cover.☐ Bottom diameter: 33,5 cm; Top diameter: 25 cm; Height: 26,5 cm	1
VB1419	VB1419	Green rectangular valve box with cover and bolt.☐ Length x Width x Height = 50 x 36 x 31 cm	1

VB1220	VB1220	Jumbo green rectangular valve box with cover and bolt.☐ Length x Width x Height = 61 x 43 x 31,5 cm	1
VB1324	VB1324	Super Jumbo green rectangular valve box with cover and bolt.☐ Length x Width x Height = 83 x 59 x 39 cm	1
VB1730	VB1730	Maxi Jumbo green rectangular valve box with cover and bolt.☐ Length x Width x Height = 103 x 69 x 46 cm	1
Valve boxes less cover			
VB1419L	VB1419L	Green rectangular valve box without cover	1
VB1220L	VB1220L	Green rectangular valve box without cover	1
Valve box extensions			
VB1419E	VB1419E	Extension less cover for VB1419.☐ Length x Width x Height = 43,5 x 30,5 x 17 cm	1
VB1220E	VB1220E	Extension less cover for VB1220.☐ Length x Width x Height = 61 x 44 x 18 cm	1
Valve box covers			
VB910C	VB910C	Round cover for VB-910B	1
VB1419C	VB1419C	Rectangular cover for VB-1419	1
VB1220C	VB1220C	Rectangular cover for VB-1220	1
VB1324C	VB1324C	Rectangular cover for VB-1324	1
VB1730C	VB1730C	Rectangular cover for VB1730	1
VB1419U	VB1419U	Special TBOS cover for VB1419.☐ Length x Width x Height = 42,5 x 29 x 5,5 cm	1
VALVE BOX ACCESSORIES			
ANTIVANDAL ACCESSORIES FOR HDPE VALVE BOX SERIES			
Concrete valve box covers			
VBSTDCR	VBSTDCR	Concrete cover & steel frame for standard size	1
VBJMBCR	VBJMBCR	Concrete cover & steel frame for jumbo size	1
Ductile valve box covers			
VBSTDCA	VBSTDCA	Ductile cover & steel frame for standard size	1
VBJMBCA	VBJMBCA	Ductile cover & steel frame for jumbo size	1
Recessed valve box covers			
VBSTDFR	VBSTDFR	Recessed cover for standard size	1
VBJMBFR	VBJMBFR	Recessed cover for jumbo size	1
EPC Galvanized valve box covers			
VB1419EPC	VB1419EPC	EPC Galvanized steel cover for VB1419	1
VB1220EPC	VB1220EPC	EPC Galvanized steel cover for VB1220	1
Valve box covers Accessories			
VB-Lock-H	A11466	Hex head bolt, washer and clip	1
VB-Lock-P	A11465	Penta head bolt, washer and clip (anti-vandal)	1
71P51186	71P51186	2-in-1 lifting Key for concrete and ductile covers	1
ACCESSORIES FOR VALVE BOXES			
Artificial Grass Cover for HDPE Series			
VB1419CGR	VB1419CGR	Artificial Grass Cover for VB1419	1
VB1220CGR	VB1220CGR	Artificial grass cover for VB1220	1
Valve Box Anti-frost Plate for Polypro Series			

VB02674AF	VB02674AF	Anti-frost plate for VBA02674	1
VB02675AF	VB02675AF	Anti-frost plate for VBA02675	1
Valve box Grates for HDPE & Polypro Series			
VB1419G	VB1419G	Grate for VB1419	1
VB1220G	VB1220G	Grate for VB1220	1
VB1324G	VB1324G	Grate for VB1324	1
VB1730G	VB1730G	Grate for VB1730	1
CONTROLLERS			
230 VAC CONTROLLERS			
ITC SERIES: The Simplest to Use!			
ITC2	JITC02	2-station model	6
ITC4	JITC04	4-station model	6
ITC6	JITC06	6-station model	6
STP SERIES: The Genius is its Simplicity!			
STP4	F31034	4-station model	8
STP6	F31036	6-station model	8
STP9	F31039	9-station model	8
Ec SERIES: Quick and Easy to Program (Until Stock is exhausted)			
E-4c	K92605	4-station model	6
E-6c	K92105	6-station model	6
E-9c	K92905	9-station model	6
IMAGE SERIES: Engineered to Save Water			
IMAGE 2	JIMAB2	2-station model	6
IMAGE 4	JIMAB4	4-station model	6
IMAGE 6	JIMAB6	6-station model	6
ESP MODULAR: Maximize Your Productivity			
ESP-4 MEU	F38150	Basic 4-station modular controller	1
ESP-SM3	F38200	3-station extension module	1
SI-RR+ SERIES: Years of worry-free operation			
SI-RR+4	JSIRR4	Basic 4-station modular controller	1
CCM-4	JCC350	4-station extension module for SI-RR+	1
BAT 9RE	BAT9RE	9V rechargeable battery	10
JMOD01	JMOD01	Modem for SI-RR+ and Dialog+ Controllers for use with TBOS SIM	1
JGSM01	JGSM01	GSM modem package with modem, antenna, transformer and serial cable (also for PC)	1
JCONB01	JCONB01	Interface board used to connect GSM modem to SIRR+ or Dialog+, includes board, adapter and serial cable. Can also be used to directly connect PC to controller.	1
HP SERIES: A tradition of excellence			
HP-6	JHPN06	6-station model	1
HP-8	JHPN08	8-station model	1
HP-12	JHPN12	12-station model	1
ESP LX MODULAR: Power and Ease of Use in a multilingual modular controller			
ESP-LX-M	F42160	Basic 8-station modular controller	1
ESPLXMSM4	F42200	ESP-LX-M 4-station extension module	1
ESPLXMSM8	F42210	ESP-LX-M 8-station extension module	1
DIALOG+ SERIES: The Modular Controller for up to 48 stations!			

DIALOG+8	JDIALPVK8	Basic 8-station modular controller. Delivered with Electrical Surge Protection Kit.	1
DIALEX8	JDIALEXVK8	8-station extension module. Delivered with Electrical Surge Protection Kit.	1
DIALEX24	JDIALEXVK24	8-station modular extension cabinet. Delivered with Electrical Surge Protection Kit.	1
BAT 9RE	BAT9RE	9V rechargeable battery	10
M22	J00M22	Key switch for Dialog+, Normally opened with dry contact	1
JMOD01	JMOD01	Modem for SI-RR+ and Dialog+ Controllers for use with TBOS SIM	1
JGSM01	JGSM01	GSM modem package with modem, antenna, transformer and serial cable (also for PC)	1
JCONB01	JCONB01	Interface board used to connect GSM modem to SIRR+ or Dialog+, includes board, adapter and serial cable. Can also be used to directly connect PC to controller.	1
RAIN SHUTOFF DEVICES			
RAIN CHECK™	F30000	Rain shutoff device prevents unnecessary watering during rainy weather for 230 VAC Controllers	1
RSD-BEx	A61200	Rain Sensor device prevents unnecessary watering during rainy weather for 230 VAC, TBOS and WP Controllers	1
Wind/Freeze Sensor	V000WI	Wind / Freeze sensor	1
PUMP RELAY: Starting relay for surface or submersible pump			
Pump Relay	VIGILEC1	Single-phase pump starting and protection box	1
Pump Relay TRI	VIGILEC2	Tri-phase pump starting and protection box	1
SURGE PROTECTION KIT			
LPVK-12E	J00107	Model for 12 stations (2 units needed for 13 to 24 stations)	1
BATTERY-POWERED CONTROLLERS			
WTA - 2875: Electronic and Mechanical Faucet-attached Controllers			
WTA 2875	ZA83800	Electronic timer with rotating dials with E/F/S/P/I/G/D Packaging	6
WTA 2875 H	ZA83820	Electronic timer with rotating dials with E/Tk/Heb/Pl/Gk/G Packaging	6
WTA 2875Display	ZA83800D	Display including 30 units of Electronic timer with rotating dials with E/F/S/P/I/G/D Packaging	1
WTA 2875HDisplay	ZA83820D	Display including 30 units of Electronic timer with rotating dials with with E/Tk/Heb/Pl/Gk/G Packaging	1
BAT 1,5 AL	BAT15AL	Alkaline Battery 1,5V (x4)	10
WTD - 2900: Electronic Faucet-attached Controllers			
WTD-2900	ZA83900	Electronic timer with LCD and function keys with E/F/S/P/I/G/Dutch Packaging	6

WTD 2900 H	ZA83920	Electronic timer with LCD and function keyswitch E/Tk/Heb/Pl/Gk/G Packaging	6
WTD 2900Display	ZA83900D	Display including 30 units of Electronic timer with LCD and function keys with E/F/S/P/I/G/Dutch Packaging	1
WTD 2900HDisplay	ZA83920D	Display including 30 units of Electronic timer with LCD and function keys with E/Tk/Heb/Pl/Gk/G Packaging	1
BAT 1,5 AL	BAT15AL	Alkaline Battery 1,5V (x4)	10
EASY RAIN™ JTV KIT: The Simplest Single-station Controller!			
EASY RAIN JTV KIT	JEZ001	Battery-powered controller with latching solenoid and JTV	12
BAT9AL	BAT9AL	9V Alkaline Battery	20
WP1: The Compact and Powerful single-station Controller			
WP-1	J9VP01	1-station model	6
WP1-AG	JWP1AG	1-station advanced programming model (2 independant programs, cycle-soak in seconds and minutes for fogging)	6
WP1 JTV KIT	JWP1KIT	1-station model pre-installed with JTV and latching solenoid	6
BAT9AL	BAT9AL	9V Alkaline Battery	20
LU3100	LU3100	Latching solenoid	4
RSD-BEx	A61200	Rain Sensor device prevents unnecessary watering during rainy weather for 230 VAC, TBOS and WP Controllers	1
WP SERIES: Trust the leader			
WP-2	JWP002	2-station model	1
WP-4	JWP004	4-station model	1
WP-6	JWP006	6-station model	1
WP-8	JWP008	8-station model	1
BAT9AL	BAT9AL	9V Alkaline Battery	20
LU3100	LU3100	Latching solenoid	4
RSD-BEx	A61200	Rain Sensor device prevents unnecessary watering during rainy weather for 230 VAC, TBOS and WP Controllers	1
9V DOC SERIES: Quickly Tests and Troubleshoots 9V Controllers			
9V DOC	J9VDOC01	Battery Powered Controllers Test Device	1
TBOS™ SERIES: The market reference			
K80040	K80040	TBOS™ Universal Field Transmitter (infrared, radio and Manager)	1
K80030	K80030	TBOS™ Infrared Field Transmitter (infrared only)	1
K80120	K80120	TBOS™ Control Module: 1 station	1
K80220	K80220	TBOS™ Control Module: 2 stations	1
K80420	K80420	TBOS™ Control Module: 4 stations	1
K80620	K80620	TBOS™ Control Module: 6 stations	1
TB-RADIO-INT	K81020	TBOS™ RADIO+ Interface	6
JVRM20	JVRM20	VRM-1+, One Station Radio Module	6
RSI	K80720	Rain Sensor Interface (RSI) for old TBOS/RSD-Bex or old FS-1/RSD-Bex	1

RSD-BEx	A61200	Rain Sensor device prevents unnecessary watering during rainy weather for 230 VAC, TBOS and WP Controllers	1
K80710	K80710	Underground rain shutoff device for TBOS™ Control Module	1
TB-PUMP-REL	K80500	TBOS Remote Control Pump Relay / Pump Start Relay	1
BAT9AL	BAT9AL	9V Alkaline Battery	20
TBOSADAPP	K80510	TBOS Solenoid Adapter	16
LU3100	LU3100	Latching solenoid	4
CONTROL SYSTEMS			
CENTRAL CONTROL SYSTEM			
IQ™: The Irrigation Management Solution for Smaller Sites			
IQSTARTPACK	IQ200501	IQ Starter Software Package 5-Satellite Capacity.Ⓜ Note: A PC according to Rain Bird specifications and the on site start-up service will be automatically added (PCSTARTM) to the IQ Software.	1
IQSTDPACK	IQ202501	IQ Standard Software Package 250-Satellite Capacity.Ⓜ Note: A PC according to Rain Bird specifications and the on site start-up service will be automatically added (PCSTARTM) to the IQ Software.	1
PCSTARTM	S03202	PC according to Rain Bird specification:Ⓜ - 3 year warranty next business day on siteⓂ - PrinterⓂ - External modemⓂ - Uninterruptible power supplyⓂ - Peripheral and software installationⓂ - UltraVNCⓂ - On site start-up	1
IQ™: Controllers And Accessories			
ESP-LX-M	F42160	Basic 8-station modular controller	1
ESPLXMSM4	F42200	ESP-LX-M 4-station extension module	1
ESPLXMSM8	F42210	ESP-LX-M 8-station extension module	1
UDTCLXMPR	IQ4580	IQ Satellite upgrade Kit for ESP-LX Modular Controllers, Phone/RS-232 Communication	1
UDTCLXMR	IQ4585	IQ Satellite upgrade Kit for ESP-LX Modular Controllers, RS-232 Communication Only	1
JGSM01	JGSM01	GSM modem package with modem, antenna, tranformer and serial cable (also for PC)	1
TBOS SIM: The First Hybrid Irrigation Control System in the Market			

TBSPACKORDI	JTBS0101	TBOS SIM Pack: 1 Universal Field Transmitter, 1 Radio Transmission Device, 1 Software. Note: A PC according to Rain Bird specifications and the on site start-up service will be automatically added (PCSTARTM) to the TBOS SIM Software.	1
PCSTARTM	S03202	PC according to Rain Bird specification: - 3 year warranty next business day on site - Printer - External modem - Uninterruptible power supply - Peripheral and software installation - UltraVNC - On site start-up	1
TBOS SIM: Controllers and Accessories			
K80040	K80040	TBOS™ Universal Field Transmitter (infrared, radio and Manager)	1
K80120	K80120	TBOS™ Control Module: 1 station	1
K80220	K80220	TBOS™ Control Module: 2 stations	1
K80420	K80420	TBOS™ Control Module: 4 stations	1
K80620	K80620	TBOS™ Control Module: 6 stations	1
TB-RADIO-INT	K81020	TBOS™ RADIO+ Interface	6
JVRM20	JVRM20	VRM-1+, One Station Radio Module	6
SI-RR+4	JSIRR4	Basic 4-station modular controller	1
CCM-4	JCC350	4-station extension module for SI-RR+	1
DIALOG+8	JDIALPVK8	Basic 8-station modular controller. Delivered with Electrical Surge Protection Kit.	1
DIALEX8	JDIALEXVK8	8-station extension module. Delivered with Electrical Surge Protection Kit.	1
DIALEX24	JDIALEXVK24	8-station modular extension cabinet. Delivered with Electrical Surge Protection Kit.	1
JMOD01	JMOD01	Modem for SI-RR+ and Dialog+ Controllers for use with TBOS SIM	1
JCONB01	JCONB01	Interface board used to connect GSM modem to SIRR+ or Dialog+, includes board, adapter and serial cable. Can also be used to directly connect PC to controller.	1
JGSM01	JGSM01	GSM modem package with modem, antenna, transformer and serial cable (also for PC)	1
JINT01	JINT01	Central Interface for automatic shutoff in case of rain	1
MDC SERIES: Decoder-based Controller			
MDC2	M15025	MDC2 Indoor wall mount Central Decoder Controller Built-in LTB Capacity 50 decoder addresses, upgradeable to 200 Flashprom allows programming from PC with direct connection or modem (PC not included) Software and null modem cable are included. Modem is optional.	1

Module 50	M15050	50 decoder addresses upgrade module for MDC-50-200	1
003248	003248	On site start-up	-
MDC Modem	M15060	Optional modem for MDC	1
Cable W opto	M15004	Cable with optocoupler to be used for permanent connection to PC	1
Upgrade pack	M15005	Upgrade package includes: CD, flashprom and cable (serial null modem)	1
MDC Accessories			
LT-250	M64000	Line tester	1
Connector	M15099	External RS232 serial connector. Required for operation with Freedom. Optional for operation with PC – Includes CD	1
MDC Field Transmitter Equipment			
FT-210	M65000	Field transmitter	1
CAPG-210	M6500012	Field transmitter socket with cover, cabinet mounting	1
PLUG-210	M6500013	Field transmitter socket with cover, external mounting	1
PED-250	M6500003	Pedestal for field transmitter	1
DECODERS: The most reliable system in the market			
FD-101	M61101	Factory preset one-way Field Decoder, 1 solenoid per station	1
FD-102	M61000	Factory preset one-way Field Decoder, 2 solenoids per station	1
FD-202	M61400	Factory preset two-way Field Decoder, 2 solenoids per station	1
FD-401	M61440	Factory preset four-way Field Decoder, 1 solenoid per station	1
FD-601	M61600	Factory preset six-way Field Decoder, 1 solenoid per station	1
DECODERS Accessories			
LSP-1	M98999	Line Surge Protection Device	1
PD-210	M72000	Pump Decoder	1
SD-210	M62001	Sensor or Pulse Decoder for Decoder operated systems	1
DPU-210	M61999	Decoder programming unit	1
SITECONTROL: For unmatched expandability and flexibility			

SCONDEC	M2580001	SiteControl Decoder System Includes: MDI 230 VAC (Decoder Interface), LTB 300 Line Termination Box, Transformer MT-210, PC according to Rain Bird specification: - 3 year warranty next business day on site - Printer - External modem - Uninterruptible power supply - Port multiplier - Peripheral and software installation - UltraVNC - 1 year off site technical assistance - On site start up	1
SCONSAT2	M2505001	SiteControl Satellite System Includes: TWI 230 VAC (Interface Module) Assembly, PC according to Rain Bird specification: - 3 year warranty next business day on site - Printer - External modem - Uninterruptible power supply - Port multiplier - Peripheral and software installation - UltraVNC - 1 year off site technical assistance - On site start up	1
SiteControl Software Modules			
SMWTHRCOM	M25602	Smart Weather™ Alarm Module Keycode (WS PRO only)	1
HYDMODCOM	M25603	Hybrid Software Module Keycode	1
SMRTSENCO	M25604	Smart Sensor Module Keycode	1
MAPUTLCOM	M25606	Map Utilities Module Keycode	1
SMRTPMPCO	M2563001	Smart Pump Module Keycode. (On site start up included)	1
ADDLOCMOD	M25608	8 additional locations Module Keycode	1
ADDWIRE 2	M25612	2nd additional wire group Module Keycode	1
SCPLUSUG	M25615	Upgrade to Site Control Plus (required to connect 3 or 4 MDI's or TWI's)	1
SiteControl Hardware			
MDI	M15002	MDI 230VAC (Decoder Interface, 500 stations)	1
TWI	M25350	TWI 230VAC (Interface Module) Assembly	1
LTB-300	M63300	Line Termination Box	1
MSP-1	D05110	Surge pipe	1
MGP-1	D05400	Grounding plate for MSP-1	1
MT-210	M52000	230V/24V - 50Hz transformer	1
MAXICOM²: The Tool of Choice for Water Managers!			

MAXICOM ²	M2190501	Maxicom ² Includes PC according to Rain Bird specification: - 3 year warranty next business day on site - Printer - External modem - Uninterruptible power supply - Port multiplier - Peripheral and software installation - UltraVNC - 1 year off site technical assistance - On site start up	1
ESP-SITE SERIES - Satellite with cluster control interface: 1 channel			
ESP-12SITE-W	M45305	Wall mounted version, 12-station model	1
ESP-16SITE-W	M45405	Wall mounted version, 16-station model	1
ESP-24SITE-W	M45505	Wall mounted version, 24-station model	1
ESP-32SITE-W	M45605	Wall mounted version, 32-station model	1
ESP-40SITE-W	M45705	Wall mounted version, 40-station model	1
CCU SERIES			
CCU-6-WM	M34105	Field Cluster Control Interface Unit: 6 channels, Wall mount model	1
CCU-28-WM	M32105	Field Cluster Control Interface Unit: 28 channels, Wall mount model	1
ESP-SAT SERIES - Hybrid Field Satellite: 12 to 40 stations			
ESP-12-SAT-TW-WM	M71505	Wall mounted version, Two-wire, 12-station model	1
ESP-16-SAT-TW-WM	M71605	Wall mounted version, Two-wire, 16-station model	1
ESP-24-SAT-TW-WM	M71705	Wall mounted version, Two-wire, 24-station model	1
ESP-32-SAT-TW-WM	M71805	Wall mounted version, Two-wire, 32-station model	1
ESP-40-SAT-TW-WM	M71905	Wall mounted version, Two-wire, 40-station model	1
UPGRADE KITS for ESP-MC AND ESP-SAT			
ESP-MIB-TW	M72005	Upgrade Kit to convert ESP-MC Controller into ESP-SAT model	1
ESP-SITE-U	M72055	Upgrade Kit to convert ESP-MC or ESP-SAT Controllers into ESP-SITE models	1
MAXICOM² ACCESSORIES			
GSM MODULE KIT	L86000	GSM kit: includes power supply module, GSM modem and antenna	1
DECPUL	M51200	Pulse decoder for connection to volumetric water meter	1
DECSN	M51300	Sensor decoder monitors dry contact switches on sensors	1
RAINGAUGE	M61010	Rain fall gauge (0,25 mm)	1
ANENOMETER	M80302	Anenometer	1
DATA LOGGER	M80203	Pulse Transmitter	1
MSP-1	D05110	Surge pipe	1
MGP-1	D05400	Grounding plate for MSP-1	1

FREEDOM SYSTEM™ for MAXICOM²			
Freedom Interface	L9010001	Freedom Interface includes phone and PC connection cables (RS232). The interface has an outlet for optional radio kit (not included). Shipped with an external transformer for 230V connection. Includes on site start up.	1
Radio Kit	L90500	Radio kit includes 230V stabilized power supply, base radio, handheld with charger, an external antenna and a 30m long antenna cable and radio kit connecting cable to the Freedom telephone interface.	1
WEATHER STATIONS			
LIGHT WEATHER STATION			
WS-PRO-LT-H	H59930	Weather station PRO LIGHT Hardwire communication	1
WS-PRO-LT-H-S	H59935	Weather station PRO LIGHT Hardwire, Solar Comes with 7 Ahr external battery pack.	1
WS-PRO-LT-WL	H59960	Weather station PRO LIGHT Wireless communication, complete with 9dBi Yagi antenna and 5 m cable	1
WS-PRO-LT-WL-S	H59965	Weather station PRO LIGHT Wireless, Solar	1
Solar Panel	CS16851	Solar panel	1
PRO WEATHER STATION			
WS-PRO-PH	H5990001	Automatic Weather Station PRO, Phone communication. Includes on site start up.	1
WS-PRO-DC	H5991001	Automatic Weather Station PRO, Direct wire connection. Includes on site start up.	1
SERVICES - Consult your local Rain Bird Sales Representative for service availability			
GLOBAL SERVICE PLAN			
One Year Off Site Service Plan			
003240	003240	Off-site Service Plan: - Telephone support - Remote off-site assistance - Data backup - Software update - Discount on 48h interface exchange - Discount on software upgrade - Annual payment	-
One Year On Site Service Plan			
003239	003239	On-site Service Plan: - Off-site Service Plan agreement - One Central Control annual technical inspection - Annual payment	-
Options			
003242	003242	One Pump Station annual technical inspection	-

003245	003245	5-year PC plan - New System Only: - PC according to Rain bird specification - 2-year warranty extension for Central Control System (electronic boards) - 5-years subscription - Annual payment	1
003246	003246	3-year PC plan: - PC according to Rain Bird specification - 3-year subscription - Annual payment	1
SPECIFIC PC SERVICES			
PC for Design Software			
PACKORDILGHT	PACKORDILGHT	PC according to Rain Bird specification: - 3-year warranty next business day on site - Printer - Peripheral and software installation	1
001299	001299	OPTIONAL DIGITIZER – A3 Format 100 lignes/mm resolution, 16 keys cursor, styler, ADI Driver & Windows all version included, 1 year warranty	1
PC for TBOS SIM and IQ			
PACKORDIMED	PACKORDIMED	PC according to Rain Bird specification - 3-year warranty next business day on site - Printer - External modem - Uninterruptible power supply - UltraVNC - Peripheral and software installation	1
PC and on site replacement for SiteControl and Maxicom²			
S03201	S03201	PC according to Rain Bird specification: - 3-year warranty next business day on site - Printer - External modem - Uninterruptible power supply - Port multiplier - UltraVNC - Peripheral and software installation - On site start up	1
Temporary PC			
003299	003299	Temporary supply of a Central Control PC for 2 weeks (48h delay) including: - Supply of a temporary PC - Software and peripheral installation at Rain Bird - Database transfer if available and if necessary - Delivery and Return transportation - Per additional week: 50,00€	1
ON SITE ASSISTANCE			

On-Site Assistance including: Preparation, Traveling, Accommodation, Report			
003238	003238	One-day on-site technical assistance	-
003248	003248	One-day irrigation system startup	-
Consulting services including: Preparation, traveling, accommodation, report			
003234	003234	Irrigation system auditing	-
003235	003235	Irrigation system GPS mapping	-
TRAINING			
1-day Rain Bird Academy - see annual schedule			
001211A1	001211A1	A1 - Irrigation System Design Level 1 (1 day) - per trainee	-
001211A2	001211A2	A2 - Irrigation Equipment Choices and Settings (1 day) - per trainee	-
001211A3	001211A3	A3 - Programmer Implementation 230V and 9V (1 day) - per trainee	-
003211B1	003211B1	B1 - Irrigation System Design – Level 2 (1 day) - per trainee	-
003211B2	003211B2	B2 - Automatic and Drip Irrigation Installation (1 day) per trainee	-
003211B3	003211B3	B3 - Decoder Irrigation Systems (1 day) - per trainee	-
003211C	003211C	C - Water Conservation and Management (2 days) - per trainee	-
003211D	003211D	D - Pumping Systems (1 day) - per trainee	-
001211F	001211F	F - Irrigation Systems Design Software (1 day) - per trainee	-
Customized training			
003214	003214	One day on site customized training including: - Preparation, - Attendees teaching materials, - Training officer's travel and accommodation expenses	-
PROJECT DESIGN			
Landscape Irrigation system design including:			
003217	003217	Total site area from 0 to 499 m ²	-
003217	003217	Total site area from 500 to 4 999 m ²	-
003217	003217	Total site area from 5 000 to 12 000 m ²	-
003217	003217	Other areas	-
Options			
003217	003217	Specification	-
003217	003217	Operation guide	-
Residential Irrigation system design including: irrigation system layout design,			
005217	005217	Total site area from 0 to 1599 m ²	-
005217	005217	Total site area from 1600 to 3249 m ²	-
005217	005217	Total site area from 3250 to 5000 m ²	-
Design Software			

R2700001	R2700001	BEST OF IRRIGATION FOR RESIDENTIAL DESIGN Software version 7.2 PC according to Rain Bird specification:2 - 3 year warranty next business day on site2 - Printer2 - Peripheral and software installation2 - On site start up	1
STANDARD EXCHANGE PROGRAM			
Faulty controllers and electronic boards replacement by refurbished board guaranteed			
001241	001241	CC4-12 Complete controller	1
003241	003241	CCU MODEM Electronic board	1
003241	003241	CCU-28 Electronic board	1
003241	003241	CCU-6 Electronic board	1
002241	002241	CR1000 Electronic board	1
002241	002241	CR10X WS PRO Electronic board	1
002241	002241	CR10X WS PRO Power supply	1
006241	006241	CYCLIK FT CI Complete controller	1
006241	006241	CYCLIK FT MICRO Complete controller	1
002241	002241	DECODER INTERFACE MDI Complete interface	1
002241	002241	DECODER INTERFACE SDI Complete interface	1
003241	003241	DIALOG 12 DISPLAY BOARD Electronic board	1
003241	003241	DIALOG 12 POWER BOARD Electronic board	1
003241	003241	DIALOG 16 DISPLAY BOARD Electronic board	1
003241	003241	DIALOG 16 POWER BOARD Electronic board	1
003241	003241	DIALOG 24 DISPLAY BOARD Electronic board	1
003241	003241	DIALOG 24 POWER BOARD Electronic board	1
003241	003241	DIALOG+ DISPLAY BOARD Electronic board	1
003241	003241	DIALOG+ POWER BOARD Electronic board	1
003241	003241	ESP 12 SITE Electronic board	1
003241	003241	ESP 16 SITE Electronic board	1
003241	003241	ESP 24 SITE Electronic board	1
003241	003241	ESP 32 SITE Electronic board	1
003241	003241	ESP 40 SITE Electronic board	1
003241	003241	ESP MIB TW Electronic board	1
003241	003241	ESP SITE MODEM KIT Electronic board	1
003241	003241	ESP SITE UP Electronic board	1
002241	002241	FREEDOM INTERFACE Interface and surge protection	1
001241	001241	HP06 Electronic board	1
001241	001241	HP08 Electronic board	1
001241	001241	HP12 Electronic board	1
001241	001241	IMAGE 2 PWB Electronic board	1
001241	001241	IMAGE 4 PWB Electronic board	1
001241	001241	IMAGE 6 PWB Electronic board	1
002241	002241	LINE CONTROL MODULE MASTER 3 Electronic board	1
002241	002241	MASTER CONTROL MODULE 3/500 MASTER 3 Electron	1
002241	002241	MASTER CONTROL MODULE MII Jr Electronic board	1
003241	003241	MDC 2.0 Controller and surge protection (without cab	1
003241	003241	MDC 50-200 Controller and surge protection (without	1
002241	002241	POWER SUPPLY MODULE MASTER3 Electronic board	1
002241	002241	POWER SUPPLY MODULE MII Jr Electronic board	1

003241	003241	SATELLITE INTERFACE TWI Complete interface	1
001241	001241	SI-RR04 Electronic board	1
001241	001241	SI-RR06 Electronic board	1
001241	001241	SI-RR08 Electronic board	1
001241	001241	SI-RR12 Electronic board	1
003241	003241	TBOS FT IR (<2004) Complete controller	1
003241	003241	TBOS FT IR (>2004) Complete controller	1
003241	003241	TBOS FT MANAGER II (<2004) Complete controller	1
003241	003241	TBOS FT UNIVERSAL Complete controller	1
003241	003241	TBOS RADIO+ FT (<2004) Complete controller	1
002241	002241	WS PRO LT Weather station (without power supply ar	1
SPARE PARTS			
Valves Parts			
Solenoids			
20858801	20858801	Solenoid DV/DVF/JTV	1
20953202	20953202	Solenoid PGA/PEB/EFB	1
206920-01	20692001	Universal solenoid kit for VIH Eagles, Impacts and old style PE, PES and EFA valves (with green coil)	1
602118	602118	Green Coil PE/EFA/DR/EAGLE	1
External Bleed Screw			
210331	210331	External bleed screw DV/DVF/JTV	10
204152	204152	External bleed screw 150/200 PE/PEB	10
Diaphragm			
21074603	21074603	Diaphragm kit 075/100-DV/DVF	1
209792	209792	Diaphragm kit 100-PGA	1
209675	209675	Diaphragm kit 150-PGA	1
209005	209005	Diaphragm kit 200-PGA	1
208143	208143	Diaphragm kit 100-PE/PEB	1
208605	208605	Diaphragm kit 150/200-PE/PEB	1
Controller Parts			
Transformers			
71P50642	71P50642	Transformer ITC/IMAGE/IRRI/IRC	1
71P01037	71P01037	Transformer HP/CC/SI-RR	1
71P50268	71P50268	Transformer DIALOG	1
634152	634152	Transformer EC	1
635659S	635659S	Transformer ESP-MODULAR	1
Fuse for Controllers			
71P10037	71P10037	Fuse IMAGE 0,5 A	10
NON POTABLE PRODUCTS - Please Contact Rain Bird Order Desk for delivery lead time			
NON POTABLE PRODUCTS			
SPRAY HEADS			
1800-NP	A46610	1800 Non-Potable Cover (Snap-on)	50
US-NP	A46605	US-NP UNI-Spray Non-Potable Cover	50
PA-8S-NP	A16505	PA-8S Non-Potable Shrub adapter	50
½" & ¾" ROTOR POP-UP SPRINKLERS			
3504PCSAM-NP	Y34550NP	4" part/reverse full circle Non-Potable Cover with SAM	20

004PLPCSAMSS-NP	Y45770SSNP	5004 Plus PC SAM SS Non-Potable	20
5000PLPCSRSS-NP	Y65670NP	5004 Plus PC PRS SAM SS Non-Potable	20
5012PLPC-NP	Y46070NP	5012 Plus PC Non-Potable	20
2045A08-NP	B0615008NP	Maxi-Paw Non-Potable	20
5500 NP	B82530NP	5505 Rotor Non Potable	20
5500 SS NP	B82630NP	5505 SS Rotor Non Potable	20
1" ROTOR POP-UP SPRINKLERS			
F4PCSS-NP	B65821NP	Non-Potable FALCON 6504 PC SS	20
F4FCSS-NP	B65831NP	Non-Potable FALCON 6504 FC SS	20
8005-NP	B81200NP	8005 Non-Potable	20
VALVES			
33D-NP	B11525	33D Non-Potable with purple locking cover	15
PGANPHAN1	231234	Handle, 1" & 1,5" PGA Non-Potable	1
PGANPHAN2	231236	Handle, 2" PGA Non-Potable	1
PEBNPHAN1	231230	Handle, 1" PEB/PESB Non-Potable	1
PEBNPHAN2	231232	Handle, 1,5", 2" PESB/Non-Potable	1
100 PESB-R	B37210	1" PESB-R Reclaimed Water Valve BSP	10
150 PESB-R	B37310	1 ½" PESB-R Reclaimed Water Valve BSP	8
100PESBRWK	B37510	100 PESBR Conversion Kit	10
150PESBRWK	B37520	150/200 PESBR Conversion Kit	3
HDPE VALVE BOX SERIES			
VB1419PU	V47247	Purple cover for VB1419	1